State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-7-45 Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

DETROIT DIESEL CORPORATION

Pursuant to the authority vested in the Air Resources Board at Sections 43000.5, 43013, and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

IT IS ORDERED AND RESOLVED: That the following diesel engines and exhaust emission control systems produced by the manufacturer are certified as described below for use in heavy-duty off-road equipment:

Model Year: 2000

Typical Equipment Usage: Crane, Loader, Tractor, Pump, Dozer, Compressor,

Generator

Engine Power Ratings Range: 175 – 750 horsepower, inclusive

<u>Fuel Type</u>: Diesel

Engine Family	Displa	cement	Exhaust Emission Control
	<u>Liters</u>	<u>Cubic Inches</u>	Systems and Special Features
YDDXL12.1TFM (V-92TA)	9.0/12.1	549/739	Charge Air Cooler Turbocharger Smoke Puff Limiter

The engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values in grams per brake horsepower-hour (g/bhp-h) for total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):

<u>Exh</u>	aust Em	<u>issions (</u>	g/bhp-h)		<u>Smo</u>	ke Opacity	<u>v (%)</u>
Standard	<u>THC</u>	<u>CO</u> 8.5	<u>NOx</u> 6.9	<u>PM</u> 0.4	Accel 20	<u>Lug</u> 15	<u>Peak</u> 50
Certification	0.4	0.8	6.7	0.1	18	3	28

BE IT FURTHER RESOLVED: That the listed engine models comply with "Exhaust Emission Standards and Test Procedures—Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels—1996 and Later Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this

_ day of January 2000.

R. B. Summerfield, Chief

Mobile Source Operations Division

R	Ne
7	Process Code:
LARGE ENGINE MODEL SUM!	Detroit Diesel Corporation
	Manufacturer:

Process Code: New Submission

FO: 4-7-45

CLA Clighte rathiny. I DUALIZ: I LIN			NE STATE			•		
Engine Code	Engine Model	BHP@RPM (SAE Gross)	Fuel Rate: mm/stroke @ peak HP	Fuel Rate: (lbs/hr) @ peak HP	Torque @ RPM (SEA Gross)	Fuel Rate: mm/stroke@peak torque	Fuel Rate: (lbs/hr)@peak torque	Emission Control Device Per SAE J1930
9696	6V-92TA	380 @ 2300	98.3	149.3	1090 @ 1200	113.7	87.9	EM SPL TAW
9G92	6V-92TA	360 @ 2100	98.9	136.8	1090 @ 1200	113.7	87.9	EM SPL TAW
9G90	6V-92TA	340 @ 2100	94.2	129.9	1015 @ 1200	104.6	82.1	EM SPL TAW
9G92	8V-92TA	490 @ 2300	96.2	196.1	1450 @ 1200	111.7	118.9	EM SPL TAW
9698	8V-92TA	480 @ 2100	98.6	183.4	1450 @ 1200	111.7	118.9	EM SPL TAW
0696	8V-92TA	450 @ 2100	91.2	168.7	1330 @ 1200	102.2	108.0	EM SPL TAW
9G85	8V-92TA	425 @ 2100	87.4	161.6	1250 @ 1200	97.7	103.3	EM SPL TAW
6750	8V-92TA	490 @ 2100	103.1	192.1	1400 @ 1500	111.0	147.7	EM SPL TAW
							•	Te che, SPL